

**FAMILY HEALTH INTERNATIONAL (FHI)
HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEYS (BSS)
FOR USE WITH ADULT TARGET GROUPS AGED 15-49
DRAFT January 13, 2000**

TITLE OF SURVEY – COUNTRY - YEAR CONDUCTED

001 QUESTIONNAIRE IDENTIFICATION NUMBER |__|__|__|

002 CITY_____ (provide locally appropriate categories)

003 REGION_____ (provide locally appropriate categories)

004 SITE_____ (provide locally appropriate categories)

Introduction: “My name is... I’m working for... We’re interviewing people here in [name of city, region or site] in order to find out about...[describe purpose of study]. Have you been interviewed in the past few weeks [or other appropriate time period] for this study? **IF THE RESPONDENT HAS BEEN INTERVIEWED BEFORE, DO NOT INTERVIEW THIS PERSON AGAIN.** Tell them you cannot interview them a second time, thank them, and end the interview. If they have not been interviewed before, continue:

Confidentiality and consent: “I’m going to ask you some very personal questions that some people find difficult to answer. Your answers are completely confidential. Your name will not be written on this form, and will never be used in connection with any of the information you tell me. You do not have to answer any questions that you do not want to answer, and you may end this interview at any time you want to. However, your honest answers to these questions will help us better understand what people think, say and do about certain kinds of behaviors. We would greatly appreciate your help in responding to this survey. The survey will take about XX minutes to ask the questions. Would you be willing to participate?”

(Signature of interviewer certifying that informed consent has been given verbally by respondent)

Interviewer visit

	Visit 1	Visit 2	Visit 3
Date			
Interviewer			
Result			

Result codes: Completed 1; Respondent not available 2; Refused 3; Partially completed 4; Other 5.

005 INTERVIEWER: Code [__|__] Name_____

006 DATE INTERVIEW: ______

CHECKED BY SUPERVISOR: Signature _____ Date _____

The ADULT questionnaire includes the following sections:

Section 0 – Questionnaire identification data (6 codes)	
Section 1 – Background characteristics	13 questions
Section 2 – Marriage	4 questions
Section 3 – Sexual history: numbers and types of partners	4 questions
Section 4 – Sexual history: regular partners	6 questions
Section 5 – Sexual history: non-regular partners	6 questions
Section 6 – Sexual history: commercial partners	6 questions
Section 7 – Male and female condoms	7 questions
Section 8 – STDs	5 questions
Section 9 – Knowledge, opinions, and attitudes towards HIV/AIDS	16 questions
Section 10 – Exposure to interventions	(variable)
TOTAL NUMBER OF QUESTIONS:	77 questions

FHI 1999 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 1: Background characteristics

No.	Questions and filters	Coding categories	Skip to
Q101	RECORD SEX OF THE RESPONDENT	<p align="right">MALE 1 FEMALE 2</p>	
Q102	In what month and year were you born?	<p align="right">MONTH [][] DON'T KNOW MONTH 88 NO RESPONSE 99</p> <p align="right">YEAR [][] DON'T KNOW YEAR 88 NO RESPONSE 99</p>	
Q103	How old were you at your last birthday? (COMPARE AND CORRECT Q102 IF NEEDED)	<p align="right">AGE IN COMPLETED YEARS [][] DON'T KNOW 88 NO RESPONSE 99</p> <p align="center">ESTIMATE BEST ANSWER</p>	
Q104	Have you ever attended school?	<p align="right">YES 1 NO 2 NO RESPONSE 9</p>	→ Q107
Q105	What is the highest level of school you completed: primary, secondary or higher? CIRCLE ONE	<p align="center">(List locally appropriate categories)</p> <p align="right">PRIMARY 1 SECONDARY 2 HIGHER 3 NO RESPONSE 9</p>	
Q106	How many total years of education have you completed up to now?	<p align="right"># YEARS COMPLETED [][] NO RESPONSE 99</p>	
Q107	How long have you lived here in (NAME OF COMMUNITY/ TOWN NEIGHBORHOOD/ VILLAGE)?	<p align="right">NUMBER OF YEARS [][]</p> <p align="right">RECORD 00 IF LESS THAN 1 YEAR DON'T KNOW 88 NO RESPONSE 99</p>	

FHI 1999 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 1: Background characteristics (continued)

No.	Questions and filters	Coding categories	Skip to
Q108	In the last 12 months have you been away from your home for more than one month altogether?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q109	What religion are you? CIRCLE ONE	(LIST LOCALLY APPROPRIATE CATEGORIES) NO RELIGION 0 NO RESPONSE 9	
Q110	To which ethnic group do you belong? CIRCLE ONE	(List locally appropriate categories) NO RESPONSE 9	
Q111	During the last 4 weeks how often have you had drinks containing alcohol? Would you say READ OUT CIRCLE ONE	Every day 1 At least once a week 2 Less than once a week or never 3 DON'T KNOW 8 NO RESPONSE 9	
Q112	Some people have tried a range of different types of drugs. Which of the following, if any, have you tried? READ LIST	(List locally appropriate categories) YES NO DK NR 1 2 8 9 1 2 8 9 1 2 8 9 1 2 8 9	
Q113	<i>Some people have tried injecting drugs using a syringe. Have you injected drugs recreationally in the last 12 months?</i> DRUGS INJECTED FOR MEDICAL PURPOSES OR TREATMENT OF AN ILLNESS DO NOT COUNT	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	

**NOTE: Q113 is appropriate for settings where recreational injection drug use is common or suspected*

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 2 Marriage and live-in partnerships

No.	Questions and filters	Coding categories	Skip to
Q201	Have you <i>ever</i> been married?	YES 1 NO 2 NO RESPONSE 9	→Q203 →Q203
Q202	How old were you when you first married?	Age in years [__ __] DON'T KNOW 88 NO RESPONSE 99	
Q203	Are you <i>currently</i> married or living with a man/woman with whom you have a sexual relationship?	currently married, living with spouse 1 currently married, living with other sexual partner 2 currently married, not living with spouse or any other sexual partner 3 not married, living with sexual partner 4 not married, not living with sexual partner 5 NO RESPONSE 9	→Q204 →Q204 →Q204 →Q301 →Q301 →Q301
Q204	IF MARRIED: MEN: Do you have more than one wife? WOMEN: Does your husband have other wives?	YES 1 NO 2 NO RESPONSE 9	

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 3 Sexual history: numbers and types of partners

No.	Questions and filters	Coding categories	Skip to
Q301	Have you <i>ever</i> had sexual intercourse? [For the purposes of this survey, “sexual intercourse,” is defined as vaginal or anal sex.]	YES 1 NO 2 NO RESPONSE 9	→Q703 →Q703
Q302	At what age did you first have sexual intercourse?	AGE IN YEARS [][] DON'T KNOW 88 NO RESPONSE 99	
Q303	Have you had sexual intercourse in the last 12 months?	YES 1 NO 2 NO RESPONSE 9	→Q702 →Q702
Q304	<p><i>For WOMEN:</i> Think about the <i>male</i> sexual partners you’ve had in the last 12 months.</p> <p><i>For MEN:</i> Think about the <i>female</i> sexual partners you’ve had in the last 12 months.</p> <p>How many were:</p> <ul style="list-style-type: none"> - Your spouse(s) or live-in sexual partners (“<i>regular</i>” partners) - “<i>Commercial</i>” (partners with whom you had sex in exchange for money) - Sexual partners you that you are not married to and have never lived with and did not pay (“<i>non-regular</i>” partners) –DO NOT INCLUDE CURRENT SPOUSE(S) OR LIVE-IN SEXUAL PARTNERS) <p>-----</p> <p>(Ask of men):</p> <ul style="list-style-type: none"> - We’ve just talked about your female sexual partners. Have you ever had any male sexual partners? - Have you had sexual intercourse with any of your male partners in the past 12 months? (sexual intercourse defined as penetrative anal sex) 	<p>REGULAR [][] DON'T KNOW 88 NO RESPONSE 99</p> <p>COMMERCIAL [][] DON'T KNOW 88 NO RESPONSE 99</p> <p>NON-REGULAR [][] DON'T KNOW 88 NO RESPONSE 99</p> <p>-----</p> <p>YES 1 NO 2 NO RESPONSE 9</p> <p>YES 1 NO 2 NO RESPONSE 9</p>	<p>→Q401 →Q401</p> <p>→Q401 →Q401</p>

	<p>– How many male partners have you had anal intercourse with in the last 12 months?</p>	<p>Male partners [][] DON'T KNOW 88 NO RESPONSE 99</p>	
--	---	---	--

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 4 Sexual history: regular partners

No.	Questions and Filters	Coding categories	Skip to
Q401	FILTER: CHECK Q304 HAD SEX WITH REGULAR PARTNER DURING PAST 12 MONTHS [] ↓	DID NOT HAVE SEX WITH REGULAR PARTNER DURING PAST 12 MONTHS []→	→Q501
Q402	Think about your most recent regular sexual partner. How many times did you have sexual intercourse with this person over the last 30 days? [REGULAR PARTNER INCLUDES SPOUSE OR LIVE-IN SEXUAL PARTNER]	Number of times [][] DON'T KNOW 88 NO RESPONSE 99	
Q403	The last time you had sex with a regular partner, did you and your partner use a condom?	YES 1 NO 2 DON'T REMEMBER 8 NO RESPONSE 9	→Q405 →Q406 →Q406
Q404	Who suggested using a condom that time? CIRCLE ONE	Myself 1 My partner 2 Joint decision 3 NO RESPONSE 9	→Q406 →Q406 →Q406 →Q406
Q405	Why didn't you and your partner use a condom that time? ADD OTHER LOCALLY APPROPRIATE CATEGORIES AFTER PRE-TESTING CIRCLE ALL ANSWERS MENTIONED	Y N Not available 1 2 Too expensive 1 2 Partner objected 1 2 Don't like them 1 2 Used other contraceptive 1 2 Didn't think it was necessary 1 2 Didn't think of it 1 2 Other _____ 1 2 DON'T KNOW 1 2 NO RESPONSE 1 2	
Q406	In general, with what <i>frequency</i> did you and your regular partner(s) use a condom during the past 12 months?	EVERY TIME 1 ALMOST EVERY TIME 2 SOMETIMES 3 NEVER 4 DON'T KNOW 8 NO RESPONSE 9	

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 5 Sexual history: commercial partners

No.	Questions and Filters	Coding categories	Skip to																																	
Q501	FILTER: CHECK Q305 HAD SEXUAL INTERCOURSE WITH A COMMERCIAL PARTNER IN <u>LAST 12 MONTHS</u> ...[] ↓	HAS <i>NOT</i> HAD SEXUAL INTERCOURSE WITH A COMMERCIAL PARTNER IN <u>LAST 12 MONTHS</u> []→	→Q601																																	
Q502	Think about your most recent commercial sexual partner. How many times did you have sexual intercourse with this person over the last 30 days?	Number of times [][] DON'T KNOW 88 NO RESPONSE 99																																		
Q503	The last time you had sex with a commercial partner, did you and your partner use a condom?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	→Q505 →Q506 →Q506																																	
Q504	Who suggested condom use that time? CIRCLE ONE	Myself 1 My partner 2 Joint decision 3 NO RESPONSE 9	→Q506 →Q506 →Q506 →Q506																																	
Q505	Why didn't you and your partner use a condom that time? ADD OTHER LOCALLY APPROPRIATE CATEGORIES AFTER PRE-TESTING CIRCLE ALL ANSWERS MENTIONED	<table border="0"> <tr> <td></td> <td align="right">Y</td> <td align="right">N</td> </tr> <tr> <td>Not available</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Too expensive</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Partner objected</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Don't like them</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Used other contraceptive</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Didn't think it was necessary</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Didn't think of it</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Other _____</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>DON'T KNOW</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>NO RESPONSE</td> <td align="right">1</td> <td align="right">2</td> </tr> </table>		Y	N	Not available	1	2	Too expensive	1	2	Partner objected	1	2	Don't like them	1	2	Used other contraceptive	1	2	Didn't think it was necessary	1	2	Didn't think of it	1	2	Other _____	1	2	DON'T KNOW	1	2	NO RESPONSE	1	2	
	Y	N																																		
Not available	1	2																																		
Too expensive	1	2																																		
Partner objected	1	2																																		
Don't like them	1	2																																		
Used other contraceptive	1	2																																		
Didn't think it was necessary	1	2																																		
Didn't think of it	1	2																																		
Other _____	1	2																																		
DON'T KNOW	1	2																																		
NO RESPONSE	1	2																																		
Q506	In general, with what <i>frequency</i> did you and your commercial partner(s) use a condom during the past 12 months?	EVERY TIME 1 ALMOST ALL TIME 2 SOMETIMES 3 NEVER 4 DON'T KNOW 8 NO RESPONSE 9																																		

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 6 Sexual history: non-regular non-paying sexual partners

No.	Questions and Filters	Coding categories	Skip to																																	
Q601	FILTER: CHECK Q305 HAD NON-REGULAR NON-PAYING SEX PARTNER DURING <u>LAST 12 MONTHS</u>[___] ↓	DID NOT HAVE NON-REGULAR NON-PAYING SEX PARTNER DURING <u>LAST 12 MONTHS</u> [___]→	→Q701																																	
Q602	Think about your most recent non-regular non-paying sexual partner. How many times did you have sexual intercourse with this person over the last 30 days?	Number of times [__][__] DON'T KNOW 88 NO RESPONSE 99																																		
Q603	The last time you had sex with a non-regular non-paying partner, did you and your partner use a condom?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	→Q605 →Q606 →Q606																																	
Q604	Who suggested condom use that time? CIRCLE ONE	Myself 1 My partner 2 Joint decision 3 DON'T REMEMBER 8 NO RESPONSE 9	→Q606 →Q606 →Q606 →Q606 →Q606																																	
Q605	Why didn't you and your partner use a condom that time? ADD OTHER LOCALLY APPROPRIATE CATEGORIES AFTER PRE-TESTING CIRCLE ALL ANSWERS MENTIONED	<table border="0"> <tr> <td></td> <td align="right">Y</td> <td align="right">N</td> </tr> <tr> <td>Not available</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Too expensive</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Partner objected</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Don't like them</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Used other contraceptive</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Didn't think it was necessary</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Didn't think of it</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Other _____</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>DON'T KNOW</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>NO RESPONSE</td> <td align="right">1</td> <td align="right">2</td> </tr> </table>		Y	N	Not available	1	2	Too expensive	1	2	Partner objected	1	2	Don't like them	1	2	Used other contraceptive	1	2	Didn't think it was necessary	1	2	Didn't think of it	1	2	Other _____	1	2	DON'T KNOW	1	2	NO RESPONSE	1	2	
	Y	N																																		
Not available	1	2																																		
Too expensive	1	2																																		
Partner objected	1	2																																		
Don't like them	1	2																																		
Used other contraceptive	1	2																																		
Didn't think it was necessary	1	2																																		
Didn't think of it	1	2																																		
Other _____	1	2																																		
DON'T KNOW	1	2																																		
NO RESPONSE	1	2																																		
Q606	In general, with what <i>frequency</i> did you and your non-regular non-paying partner(s) use a condom during the past 12 months?	EVERY TIME 1 ALMOST EVERY TIME 2 SOMETIMES 3 NEVER 4 DON'T KNOW 8 NO RESPONSE 9																																		

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 7 Male and female condoms

No.	Questions and Filters	Coding categories	Skip to																																				
Q701	FILTER: SEE Q403, 503, 603... CONDOMS NOT USED.....[] ↓	CONDOMS USED []→	→Q704																																				
Q702	Have you and a sexual partner <i>ever</i> used a male condom? (Show picture or sample of one.) (The respondent may not have used a condom with partners in sections 4-6, but may have used a condom at some other time in the past.)	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	→Q704																																				
Q703	Have you ever <i>heard of</i> a male condom? (Show picture or sample of one.) (I mean a rubber object that a man puts on his penis before sex.)	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	→Q801 →Q801																																				
Q704	Do you know of any place or person from which you can obtain male condoms?	YES 1 NO 2 NO RESPONSE 9	→Q707 →Q707																																				
Q705	Which places or persons do you know where you can obtain male condoms? PROBE AND RECORD ALL ANSWERS Any others?	<table border="0"> <tr> <td></td> <td align="right">Yes</td> <td align="right">No</td> </tr> <tr> <td>Shop</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Pharmacy</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Market</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Clinic</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Hospital</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Family planning center</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Bar/guest house/hotel</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Peer educator</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>Friend</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>OTHER_____</td> <td align="right">1</td> <td align="right">2</td> </tr> <tr> <td>NO RESPONSE</td> <td align="right">1</td> <td align="right">2</td> </tr> </table>		Yes	No	Shop	1	2	Pharmacy	1	2	Market	1	2	Clinic	1	2	Hospital	1	2	Family planning center	1	2	Bar/guest house/hotel	1	2	Peer educator	1	2	Friend	1	2	OTHER_____	1	2	NO RESPONSE	1	2	
	Yes	No																																					
Shop	1	2																																					
Pharmacy	1	2																																					
Market	1	2																																					
Clinic	1	2																																					
Hospital	1	2																																					
Family planning center	1	2																																					
Bar/guest house/hotel	1	2																																					
Peer educator	1	2																																					
Friend	1	2																																					
OTHER_____	1	2																																					
NO RESPONSE	1	2																																					

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS

Section 7: Male and female condoms (continued)

No.	Questions and Filters	Coding categories	Skip to
Q706	How long would it take you to obtain a condom (male or female) close to your house or to where you work?	(Adjust categories as locally appropriate) Under 1 hour 1 1 hour to 1 day 2 More than 1 day 3 DON'T KNOW 8 NO RESPONSE 9	
Q707	<i>FOR SEXUALLY ACTIVE RESPONDENTS ONLY:</i> During the past 12 months, did you ever have sexual intercourse <i>without</i> using a condom with any commercial sexual partner or any other sexual partner who you have never lived with and are not married to?	YES 1 NO 2 DON'T REMEMBER 8 NO RESPONSE 9	

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 8 STDs

No.	Questions and filters	Coding categories	Skip to
Q801	Have you ever heard of diseases that can be transmitted through sexual intercourse?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	→Q804
Q802	Can you describe any symptoms of STDs in women? Any others? DO <u>NOT</u> READ OUT THE SYMPTOMS CIRCLE 1 FOR ALL MENTIONED. CIRCLE 2 FOR ALL <i>NOT</i> MENTIONED. MORE THAN ONE ANSWER IS POSSIBLE.	Yes No ABDOMINAL PAIN 1 2 GENITAL DISCHARGE 1 2 FOUL SMELLING DISCHARGE 1 2 BURNING PAIN ON URINATION 1 2 GENITAL ULCERS/SORES 1 2 SWELLINGS IN GROIN AREA 1 2 ITCHING 1 2 OTHER _____ 1 2 NO RESPONSE 1 2	
Q803	Can you describe any symptoms of STDs in men? Any others? DO <u>NOT</u> READ OUT THE SYMPTOMS CIRCLE 1 FOR ALL MENTIONED. CIRCLE 2 FOR ALL <i>NOT</i> MENTIONED. MORE THAN ONE ANSWER IS POSSIBLE.	Yes No GENITAL DISCHARGE 1 2 BURNING PAIN ON URINATION 1 2 GENITAL ULCERS/SORES 1 2 SWELLINGS IN GROIN AREA 1 2 OTHER _____ 1 2 NO RESPONSE 1 2	
Q804	Have you had a genital <u>discharge</u> during the past 12 months?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q805	Have you had a genital <u>ulcer</u> /sore during the past 12 months?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 9 Knowledge, opinions, and attitudes

No.	Questions and filters	Coding categories	Skip to
Q901	Have you ever heard of HIV or the disease called AIDS?	YES 1 NO 2 NO RESPONSE 9	→Q1001
Q902a	Do you know anyone who is infected with HIV or who has died of AIDS?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	→903 →903 →903
Q902b	Do you have a close relative or close friend who is infected with HIV or has died of AIDS?	YES, A CLOSE RELATIVE 1 YES, A CLOSE FRIEND 2 NO 3 NO RESPONSE 9	
Q903	Can people protect themselves from the HIV virus by using a condom correctly every time they have sex?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q904	Can a person get the HIV virus from mosquito bites?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q905	Can people protect themselves from the HIV virus by having one uninfected faithful sex partner?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q906	Can people protect themselves from the HIV virus by abstaining from sexual intercourse?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q907	Can a person get the HIV virus by sharing a meal with someone who is infected?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q908	Can a person get the HIV virus by getting injections with a needle that was already used by someone else?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	
Q909	Do you think that a healthy-looking person can be infected with HIV, the virus that causes AIDS?	YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9	

FHI 2000 HIV/AIDS/STD BEHAVIORAL SURVEILLANCE SURVEY (BSS) FOR ADULTS
Section 10: Exposure to interventions (optional)

[A section on exposure to interventions can be added here if the target group has already received some kind of HIV/AIDS/STD prevention interventions. Specific questions designed to assess exposure would need to be developed locally.]

That is the end of our questionnaire. Thank you very much for taking time to answer these questions. We appreciate your help.

POSSIBLE ADDITIONAL QUESTIONS

Communications

	<p>During the last 4 weeks how often have you listened to the radio? Would you say ... READ OUT</p> <p>CIRCLE ONE</p>	<p>Every day 1 At least once a week 2 Less than once a week 3 Did not listen to radio in last 4 weeks 4</p> <p>DON'T KNOW 8 NO RESPONSE 9</p>	
	<p>During the last 4 weeks how often have you watched television? Would you say ... READ OUT</p> <p>CIRCLE ONE</p>	<p>Every day 1 At least once a week 2 Less than once a week 3 Did not listen to radio in last 4 weeks 4</p> <p>DON'T KNOW 8 NO RESPONSE 9</p>	

Female Condom

	<p>Have you ever <i>heard of</i> a female condom? (Show picture or sample of one.) (I mean a rubber object that a woman puts into her vagina before sex.)</p>	<p>YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>																																					
	<p>Have you <i>ever used</i> a female condom? (Show picture or sample of one.)</p>	<p>YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>																																					
	<p>Do you know any place or person where you can obtain female condoms?</p>	<p>YES 1 NO 2 NO RESPONSE 9</p>																																					
	<p>Which (other) places or persons do you know where you can obtain female condoms? PROBE AND RECORD ALL ANSWERS</p>	<table> <tr> <td></td> <td>Yes</td> <td>No</td> </tr> <tr> <td>Shop</td> <td>1</td> <td>2</td> </tr> <tr> <td>Pharmacy</td> <td>1</td> <td>2</td> </tr> <tr> <td>Market</td> <td>1</td> <td>2</td> </tr> <tr> <td>Clinic</td> <td>1</td> <td>2</td> </tr> <tr> <td>Hospital</td> <td>1</td> <td>2</td> </tr> <tr> <td>Family planning center</td> <td>1</td> <td>2</td> </tr> <tr> <td>Bar/guest house/hotel</td> <td>1</td> <td>2</td> </tr> <tr> <td>Peer educator</td> <td>1</td> <td>2</td> </tr> <tr> <td>Friend</td> <td>1</td> <td>2</td> </tr> <tr> <td>OTHER _____</td> <td>1</td> <td>2</td> </tr> <tr> <td>NO RESPONSE</td> <td>1</td> <td>2</td> </tr> </table>		Yes	No	Shop	1	2	Pharmacy	1	2	Market	1	2	Clinic	1	2	Hospital	1	2	Family planning center	1	2	Bar/guest house/hotel	1	2	Peer educator	1	2	Friend	1	2	OTHER _____	1	2	NO RESPONSE	1	2	
	Yes	No																																					
Shop	1	2																																					
Pharmacy	1	2																																					
Market	1	2																																					
Clinic	1	2																																					
Hospital	1	2																																					
Family planning center	1	2																																					
Bar/guest house/hotel	1	2																																					
Peer educator	1	2																																					
Friend	1	2																																					
OTHER _____	1	2																																					
NO RESPONSE	1	2																																					

STD Treatment seeking behaviours

	Questions and filters	Coding categories	Skip to																						
	<p>FILTER: CHECK Q*** AND Q***</p> <p>HAD GENITAL DISCHARGE AND/OR GENITAL ULCER.....[___] IN LAST 12 MONTHS</p> <p style="text-align: center;">↓</p>	<p>NO DISCHARGE OR ULCER [___]→ IN LAST 12 MONTHS</p>	<p>→</p>																						
	<p>Did you do any of the following the last time you had a genital ulcer/sore or genital discharge: READ OUT. MORE THAN ONE ANSWER IS POSSIBLE.</p> <p>a. Seek advice/medicine from a government clinic or hospital?</p> <p>b. Seek advice/medicine from a workplace clinic or hospital?</p> <p>c. Seek advice/medicine from a church or charity-run clinic or hospital?</p> <p>d. Seek advice/medicine from a private clinic or hospital?</p> <p>e. Seek advice/medicine from a private pharmacy?</p> <p>f. Seek advice/medicine from a traditional healer?</p> <p>g. Took medicine you had at home?</p> <p>h. Tell your sexual partner about the discharge/ STD?</p> <p>i. Stop having sex when you had the symptoms?</p> <p>j. Use a condom when having sex during the time you had the symptoms?</p>	<table border="1"> <thead> <tr> <th data-bbox="1114 617 1175 646">Yes</th> <th data-bbox="1175 617 1240 646">No</th> </tr> </thead> <tbody> <tr><td data-bbox="1114 680 1175 709">1</td><td data-bbox="1175 680 1240 709">2</td></tr> <tr><td data-bbox="1114 743 1175 772">1</td><td data-bbox="1175 743 1240 772">2</td></tr> <tr><td data-bbox="1114 806 1175 835">1</td><td data-bbox="1175 806 1240 835">2</td></tr> <tr><td data-bbox="1114 869 1175 898">1</td><td data-bbox="1175 869 1240 898">2</td></tr> <tr><td data-bbox="1114 932 1175 961">1</td><td data-bbox="1175 932 1240 961">2</td></tr> <tr><td data-bbox="1114 995 1175 1024">1</td><td data-bbox="1175 995 1240 1024">2</td></tr> <tr><td data-bbox="1114 1058 1175 1087">1</td><td data-bbox="1175 1058 1240 1087">2</td></tr> <tr><td data-bbox="1114 1121 1175 1150">1</td><td data-bbox="1175 1121 1240 1150">2</td></tr> <tr><td data-bbox="1114 1184 1175 1213">1</td><td data-bbox="1175 1184 1240 1213">2</td></tr> <tr><td data-bbox="1114 1247 1175 1276">1</td><td data-bbox="1175 1247 1240 1276">2</td></tr> </tbody> </table>	Yes	No	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	
Yes	No																								
1	2																								
1	2																								
1	2																								
1	2																								
1	2																								
1	2																								
1	2																								
1	2																								
1	2																								
1	2																								

<p>Which of these things did you do FIRST?</p> <p>ONLY ONE ANSWER IS POSSIBLE.</p> <p>ADD OTHER LOCALLY APPROPRIATE CATEGORIES IF NECESSARY.)</p>	a. Seek advice/medicine from a government clinic or hospital?	1
	b. Seek advice/medicine from a workplace clinic or hospital?	2
	c. Seek advice/medicine from a church or charity-run clinic or hospital?	3
	d. Seek advice/medicine from a private clinic or hospital?	4
	e. Seek advice/medicine from a private pharmacy?	5
	f. Seek advice/medicine from a traditional healer?	6
	g. Took medicine you had at home?	7
	h. Other_____	8
	DON'T REMEMBER	9
	NO RESPONSE	10
	DON'T REMEMBER	88
	NO RESPONSE	99

<p>If you took medicine for the last episode of symptoms, from where did you obtain the medicine?</p> <p>CIRCLE ALL THAT APPLY.</p>	Health worker in clinic/hospital	Yes 1	No 2
	Pharmacy	1	2
	Traditional healer	1	2
	Friend or relative	1	2
	“Took medicine I had at home”	1	2
	Did not take any medicine	1	2
	DON'T REMEMBER	1	2
	NO RESPONSE	1	2

<p>How much did you pay for the medicine you took?</p>	<p>[] []</p> <p>ADAPT TO LOCALLY APPROPRIATE CATEGORIES</p>
--	---

<p>FILTER: SEE Q***:</p> <p>Sought advice from a health worker in clinic or hospital (Q807a):</p> <p>[] Yes ↓</p>	<p>No [] →</p> <p>→Q</p>
---	----------------------------------

	How long after first experiencing symptoms did you seek advice from a health worker in a clinic or hospital?	1 week or less 1 Less than 1 month but more than 1 week 2 One month or more 3 DON'T KNOW 4 NO RESPONSE 5	
	Did you receive a prescription for medicine?	Yes 1 No 2 DON'T REMEMBER 3 NO RESPONSE 4	
	Did you obtain the medicine prescribed?	Yes, I obtained all of it 1 I obtained some but not all 2 I did not obtain the medicine 3 DON'T REMEMBER 4 NO RESPONSE 5	
	Did you take all of the medicine prescribed?	Yes 1 No 2 DON'T KNOW 3 NO RESPONSE 4	
	If not, why did you not take all of the medicine prescribed? CIRCLE ALL THAT APPLY.	(List locally appropriate categories) Yes No DON'T REMEMBER 1 2 NO RESPONSE 1 2	

Stigma and Discrimination

	Would you be willing to share a meal with a person you knew had HIV or AIDS?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	
	If a male relative of yours became ill With HIV, the virus that causes AIDS, would you be willing to care for him in your household?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	
	If a student has HIV but is not sick, should he or she be allowed to continue attending school?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	
	If a female relative of yours became ill With HIV, the virus that causes AIDS, would you be willing to care for him in your household?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	
	If a teacher has HIV but is not sick, should he or she be allowed to continue teaching in school?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	
	If you knew a shopkeeper or food seller had the HIV virus, would you buy food from them?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	
	If a member of your family became ill with HIV, the virus that causes AIDS, would you want it to remain secret?	<p style="text-align: right;">YES 1 NO 2 DON'T KNOW 8 NO RESPONSE 9</p>	

Voluntary vs. Involuntary Sexual Relations

	FOR WOMEN: During the past 12 months, did any of your sexual partner(s) force you to have sex with them even though you did not want to have sex?	<p style="text-align: right;">YES 1 NO 2 NO RESPONSE 9</p>	
--	--	--	--