



Medication Use - Add Health Survey

Report prepared by

Eric A. Whitsel

Robert Angel

Sarah C. Dean

Rick O'Hara

Lixin Qu

Kathryn Carrier

Kathleen Mullan Harris



CAROLINA POPULATION CENTER | CAROLINA SQUARE - SUITE 210 | 123 WEST FRANKLIN STREET | CHAPEL HILL, NC 27516

Add Health is supported by grant P01-HD31921 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations.

This document summarizes the medication inventory conducted during the Wave V survey. It also documents the protocol for assigning therapeutic classes to those medications. Whenever possible, the inventory and protocol in the Wave V survey and at the in-home biomarker exam mirrored those of Wave IV to ensure comparability of data within and between waves.

This research uses data from Add Health, a program project directed by Kathleen Mullan Harris and designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris at the University of North Carolina at Chapel Hill, and funded by grant P01-HD31921 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development, with cooperative funding from 23 other federal agencies and foundations. We gratefully acknowledge Carolyn T. Halpern, Nancy Dole, Joyce Tabor, and Sarah C. Dean for their dedication to the quality of the Add Health data in this document. Information on how to obtain the Add Health data files is available on the Add Health website (<http://www.cpc.unc.edu/addhealth>).

Citations of this Add Health User Guide should use the following format:

Whitsel EA, Angel R, Dean SC, O'Hara R, Qu L, Carrier K, Harris K. Add Health Wave V Documentation: Medication Use – Add Health Survey, 2019; Available from:
<http://www.cpc.unc.edu/projects/addhealth/documentation/guides/>

Table of Contents

1. Introduction.....	3
2. Collection of Prescription Medication Use Data.....	3
3. Therapeutic Classification of Prescription Medications (H5SSET1 – H5SSET4).....	5
4. Key Therapeutic Classes of Prescription Medications.....	5
4.1 Antihypertensive Medication Use (H5SAHT).....	6
4.2 Antihyperlipidemic Medication Use (H5SCMED2)	6
4.3 Antidiabetic Medication Use (H5SCMED).....	7
4.4 Anti-Inflammatory Medication Use (H5SCR2 – H5SCR8).....	7
4.5 Narcotic Medication Use (H5SNARC)	8
4.6 Antidepressant Medication Use (H5SADX, where X is defined below).....	9
4.7 Antipsychotic Medication Use (H5SAPS)	9
4.8 Anxiolytic, Sedative or Hypnotic Medication Use (H5SASH)	9
4.9 Anticonvulsant Medication Use (H5SACO)	10
5. Quality Control of the Prescription Medication Data	10
6. The Medication Data File (svymeds5.xpt).....	11
6.1 Hierarchical Structure.....	11
6.2 Respondent-Level Overview of the Medication Responses	11
6.3 The Variables.....	12
Appendix 1	13

1. Introduction

Data on respondent use of prescription medications were collected during the Wave V survey. The collection procedure varied by mode (web; in-person; telephone; mail), which are described in Section 2 and fully detailed in the Wave V documentation titled Sampling and Mixed-Mode Survey Design. The process for collecting the prescription medication data, therapeutically classifying the prescription medications, and structuring a file of the therapeutic classifications for dissemination to users is described below. Please note that data on select over-the-counter (aspirin-containing and non-steroidal anti-inflammatory) medications were not collected in the Wave V survey. These data were only collected during the Wave V in-home exam.

2. Collection of Prescription Medication Use Data

Prescription medication data were provided by respondents during the web survey, in-person interview and telephone interview. Medication data were not obtained from respondents who completed the mail-based paper survey, because that survey mode prohibited the use of the medications database used in the other survey modes.

Respondents who completed a web survey, in-person interview or telephone interview were asked to provide the names of all prescription medications used within the past four weeks. As medication names were typed on the screen (either by respondents or interviewers), a look-up list of medications with identical or similar names was displayed on the screen. The look-up list was based on a medication information and classification database (Multum Lexicon™, Cerner Multum, Inc.; Denver, CO) created by excerpting all generic and brand names included in the most current quarterly update. The survey instruments were updated with new medication lists on a quarterly basis throughout the data collection period.

During the web survey, respondents were instructed to select the correct medication name from the list. If the correct medication name did not appear on the screen, they were instructed to select the option “Name not on list”, continue to the next screen, and then manually type the full name of the correct medication into a free-text data entry field. During the in-person and telephone interviews, interviewers selected the correct medication name from the list. If the correct medication name did not appear on the screen, they manually typed the full name of the correct medication into a free-text data entry field. The web, in-person, and telephone instruments were programmed to accommodate up to fifty medications per respondent.

Web respondents also self-reported whether they entered medication names from medication containers or from memory. In-person interviewers recorded whether respondents provided medication containers or named medications from memory. Telephone interviewers asked respondents whether they spelled medication names from medication containers or from memory.

The questions which appeared in each mode are listed below:

H5ID19

We want to record all prescription medications that you have used in the past four weeks. These medications include solid and non-solid formulations that you may swallow, inhale, apply to the skin or hair, inject, implant, or place in the ears, eyes, nose, mouth, or any other part of the body.

[If the respondent reported their biological sex as female, then the following was added.]

This also includes prescription birth control.

Have you taken any prescription medications in the past four weeks?

1=Yes

2=No

H5ID20

The next questions are about medications you may be taking. If you can get your medication bottles now, having those will make it easier for you to enter the name of the medication.

[The following question was asked in the Web Survey only.]

Did you get your bottles or containers for the medications you are currently taking?

1=Yes

2=No

3=I have some of my bottles or containers, but not all

[The following MED269 questions looped through for up to 50 medications.]

MED269

What is the name of the medication?

Begin typing medication name. Select the medication name from the look up list. If you cannot find name, type "NAME NOT ON LIST".

MED269_oth

If MED269=NAME NOT ON LIST or text does not match dropdown list, then:

Type in the medication name:

MED269_container

[The following question was asked in the In-Person Interview only]

Interviewer: Did respondent present this medication or its container during the interview?

1=Yes

2=No

[The following question was asked in the Telephone Interview only.]

Did you read the name of the medication from the bottle?

1=Yes

2=No

3. Therapeutic Classification of Prescription Medications (H5SSET1 – H5SSET4)

In 2019, a contract allowing for therapeutic classification of the prescription medications in the look-up list using an updated version of the Multum Lexicon™ (Cerner Multum, Inc.; Denver, CO) was executed. Of the 12,019 prescription medications reported by respondents, 96 (< 1%) could not be automatically assigned to a therapeutic class using this database. A general internist and cardiovascular epidemiologist with expertise in medication classification manually assigned therapeutic classes to 65 of the 96 prescription medications using two on-line coding databases (Lexi-Comp® On-Line™, Lexi-Comp®, Inc.; Hudson, OH and MICROMEDEX® 1.0, Thomson Reuters Healthcare, Inc; Philadelphia, PA). The Wave V medication file therefore contains the therapeutic class for 11,988 prescription medications (Appendix 1).

In the data file, the nine-digit therapeutic classification codes associated with each prescription medication include a hierarchical series of up to three, three-digit codes representing, from left to right, the (general) therapeutic class, the (more specific) therapeutic subclass, and (most specific) therapeutic subgroup. For example, a prescription medication coded 001-009-161 is in the anti-infective class, cephalosporins subclass, and third generation cephalosporins subgroup. A prescription medication coded 001-018-*** is in the anti-infective class and aminoglycosides subclass. In other words, three, right-sided asterisks (***) in the nine-digit code indicate that subgrouping was impossible and six (***-***) indicate that both subclassification and subgrouping were impossible. A prescription medication coded 998-998-998 indicates that classification of the medication was impossible. A prescription medication coded 999-999-999 indicates that the respondent reported taking a prescription medication(s), but the specific medication(s) was not reported by the respondent. Lastly, a prescription medication coded 996-996-996 indicates that the respondent refused to report their medication(s).

Because the study did not collect indications for treatment and some prescription medications are used on- or off-label to treat a variety of conditions, each prescription medication may be associated with up to four unique, nine-digit therapeutic classification codes, i.e. Sets 1-4.

4. Key Therapeutic Classes of Prescription Medications

Use of a prescription medication in the past 4 weeks in one or more of the listed therapeutic classes was assigned a value of 1. Non-use of a prescription medication in the past four weeks in one of the listed therapeutic classes was assigned a value of 0. Therapeutically classified use of prescription medication in particular classes may confound biomarker-based estimates of disease prevalence or risk. For example, use of anti-hypertensive medications may confound blood pressure-based estimates of hypertension prevalence or cardiovascular disease risk. However, the following (1,0) classifications should be used cautiously in the investigation or control of potential confounding, because selection biases often threaten the study of non-randomized medication exposures.

4.1 Antihypertensive Medication Use (H5SAHT)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
040-042-xxx	Angiotensin converting enzyme (ACE) inhibitors	H5SAHT
040-043-xxx	Anti-adrenergic agents (peripherally acting)	
040-044-xxx	Anti-adrenergic agents (centrally acting)	
040-047-xxx	Beta-adrenergic blocking agents	
040-048-xxx	Calcium channel blocking agents	
040-049-156	Thiazide diuretics	
040-053-xxx	Vasodilators	
040-055-xxx	Antihypertensives	
040-056-xxx	Angiotensin II (AT2) inhibitors	

4.2 Antihyperlipidemic Medication Use (H5SC MED2)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
358-019-173	HMG-CoA reductase inhibitors	H5SCMED2
358-019-174	Miscellaneous antihyperlipidemic agents	
358-019-241	Fibric acid derivatives	
358-019-252	Bile acid sequestrants	
358-019-316	Cholesterol absorption inhibitors	
358-019-317	Antihyperlipidemic combinations	
358-019-484	PCSK9 inhibitors	

4.3 Antidiabetic Medication Use (H5SC_MED)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
358-099-***	Antidiabetic agents	H5SCMED
358-099-213	Sulfonylureas	
358-099-214	Non-sulfonylureas	
358-099-215	Insulin	
358-099-216	Alpha-glucosidase inhibitors	
358-099-271	Thiazolidinediones	
358-099-282	Meglitinides	
358-099-309	Miscellaneous antidiabetic agents	
358-099-314	Antidiabetic combinations	
358-099-371	Dipeptidyl peptidase 4 inhibitors	
358-099-372	Amylin analogs	
358-099-373	Incretin mimetics	
358-099-458	SGLT-2 inhibitors	

4.4 Anti-Inflammatory Medication Use (H5SCR2 – H5SCR8)

Respondents used ≥ 1 medication identified by ≥ 1 of the following questions, coded therapeutic classes, or active ingredients:

Question / Class	Label	Variable
-----	Salicylate past 24 hours or Non-Steroidal Anti-Inflammatory Drug (NSAID) past 24 hours ¹	H5SCR1
057-058-061 057-058-062	NSAIDs past 4 weeks or Salicylate past 4 weeks or Any oral medication that contains NSAID or Salicylate as an active ingredient ² in a combination medication past 4 weeks	H5SCR2
057-058-278	Cyclooxygenase-2 (COX-2) Inhibitor past 4 weeks	H5SCR3
122-130-296	Inhaled Corticosteroids past 4 weeks	H5SCR4
097-098-300 097-098-301	Corticotropin or Glucocorticoid past 4 weeks	H5SCR5
105-192-*** 105-270-***	Antirheumatic or Antipsoriatic past 4 weeks	H5SCR6
254-104-*** 254-257-***	Immunosuppressive agents or Immunosuppressive monoclonal antibodies past 4 weeks	H5SCR7
Any of the above	Any of the above anti-inflammatories	H5SCR8

¹ Please note that data on select over-the-counter medications (salicylates; NSAIDs) were only collected at the Wave V in-home exam. Hence, H5SCRPI is not available in the Wave V survey.

² Active Ingredients:

NSAIDS

- Bromfenac
- Diclofenac
- Diflunisal
- Etodolac
- Fenoprofen
- Flurbiprofen
- Ibuprofen
- Indomethacin
- Ketoprofen
- Ketorolac
- Meclofenamate
- Mefenamic Acid
- Meloxicam
- Nabumetone
- Naproxen
- Oxaprozin
- Piroxicam
- Sulindac
- Tolmetin

Salicylates

- Aspirin
- Choline salicylate
- Magnesium salicylate
- Salsalate
- Sodium salicylate
- Thiosalicylate

4.5 Narcotic Medication Use (H5SNARC)

Respondents used ≥ 1 opioid-containing prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
057-058-060	Narcotic analgesics	H5SNARC
057-058-191	Narcotic analgesic combinations	
057-073-179	Skeletal muscle relaxant combinations	
122-124-***	Antitussives	
122-132-***	Upper respiratory combinations	

--and--

the prescription medication contained ≥ 1 of the following active ingredients:

- Alfentanil
- Codeine
- Fentanyl
- Levomethadyl
- Methadone
- Opium
- Pentazocine
- Sufentanil
- Buprenorphine
- Dezocine
- Hydrocodone
- Levorphanol
- Morphine
- Oxycodone
- Propoxyphene
- Tapentadol
- Butorphanol
- Dihydrocodeine
- Hydromorphone
- Meperidine
- Nalbuphine
- Oxymorphone
- Remifentanil
- Tramadol

4.6 Antidepressant Medication Use (H5SADX, where X is defined below)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
242-251-079	Psychotherapeutic combinations	H5SADCMB
242-249-076	Miscellaneous antidepressants	H5SADMSC
242-249-208	Selective serotonin reuptake inhibitors	H5SADSRI
242-249-209	Tricyclic antidepressants	H5SADTRI
242-249-250	Monoamine oxidase inhibitors	H5SADMOI
242-249-306	Phenylpiperazine antidepressants	H5SADPHE
242-249-307	Tetracyclic antidepressants	H5SADTET
242-249-308	Selective serotonin norepinephrine reuptake inhibitors	H5SADSNR
Any of the above	Any of the above antidepressants	H5SADANY

4.7 Antipsychotic Medication Use (H5SAPS)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
242-251-079	Psychotherapeutic combinations	H5SAPS
242-251-077	Miscellaneous antipsychotic agents	
242-251-210	Phenothiazine antipsychotics	
242-251-280	Thioxanthenes	
242-251-341	Atypical antipsychotics	

4.8 Anxiolytic, Sedative or Hypnotic Medication Use (H5SASH)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
057-067-068	Barbiturates	H5SASH
057-067-069	Benzodiazepines	
057-067-070	Miscellaneous anxiolytics, sedatives and hypnotics	

4.9 Anticonvulsant Medication Use (H5SACO)

Respondents used ≥ 1 prescription medication in ≥ 1 of the following coded therapeutic classes:

Class	Label	Variable
057-064-199	Hydantoin anticonvulsants	H5SACO
057-064-200	Succinimide anticonvulsants	
057-064-201	Barbiturate anticonvulsants	
057-064-202	Oxazolidinedione anticonvulsants	
057-064-203	Benzodiazepine anticonvulsants	
057-064-204	Miscellaneous anticonvulsants	
057-064-311	Dibenzazepine anticonvulsants	
057-064-345	Fatty acid derivative anticonvulsants	
057-064-346	Gamma-aminobutyric acid reuptake inhibitors	
057-064-347	Gamma-aminobutyric acid analogs	
057-064-348	Triazine anticonvulsants	
057-064-349	Carbamate anticonvulsants	
057-064-350	Pyrrolidine anticonvulsants	
057-064-351	Carbonic anhydrase inhibitor anticonvulsants	
057-064-352	Urea anticonvulsants	
057-064-446	Neuronal potassium channel openers	
057-064-456	α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA) receptor antagonists	

5. Quality Control of the Prescription Medication Data

Of the 12,300 Add Health respondents who completed the Wave V survey, 5,381 also completed an in-home exam. For 5,206 respondents, prescription medication use was inventoried twice (during the Wave V survey *and* in-home exam), albeit using somewhat different methods administered on average (95% confidence interval [CI]) 8.1 (7.9,8.3) months apart. Nonetheless, the agreement (95% CI) between therapeutic classifications was 64% (63%-65%) and kappa coefficient (95% CI) was 0.62 (0.60-0.64). The observations suggest that within Add Health Wave V, prescription medication data are comparable across the survey and in-home exam.

6. The Medication Data File (svymeds5.xpt)

6.1 Hierarchical Structure

The structure of the disseminated medication data file is hierarchical. This means that it is a medication-level data file, where each therapeutically classified prescription medication appears in the data as a single observation. Therefore, if a respondent reported taking more than one medication, the respondent's identifying number (in the AID variable) will appear in the data file more than once. Alternatively, the respondent's identifying number will appear in the data file just one time on a single observation if: (a) the respondent reported using just one medication, (b) the respondent reported not taking any medications, (c) the respondent refused to answer the specific medication question, (d) the respondent skipped reporting their medications, or (e) the respondent was not asked the prescription medication question.

6.2 Respondent-Level Overview of the Medication Responses

Given the complex hierarchical structure of the data file, this section provides an overview, **at the respondent-level**, of the medications reported by the respondents:

Of the 12,300 respondents who participated in the survey, 5,124 (41.6%) took prescription medications, 6,491 (52.8%) took no medications, 388 (3.2%) were not asked the prescription medication question, and 297 (2.4%) skipped the prescription medication question.

Of the 5,124 respondents who took prescription medications, 4,921 (96.0%) took from 1 to 25 prescription medications, 202 (3.9%) did not report their prescription medications, and 1 (< 1 %) refused to report their prescription medications.

6.3 The Variables

The medication data file includes the variables below, which are described in the corresponding codebook documentation that also contains frequencies. Please note, however, that the frequencies reported in the codebook are at the medication-level and **not** at the respondent-level.

<u>Variable Name</u>	<u>Variable Label</u>
AID	Respondent Identifier
H5ID19	Take Any Prescription Medication in the past 4 weeks (S5Q19)
H5SSET1 – H5SSET4	Therapeutic Classification – Set #1 – #4
H5STMEDS	# of Prescription Medications inventoried
H5SAHT	Antihypertensive
H5SCMED2	Antihyperlipidemic
H5SCMED	Antidiabetic
H5SCR2	CRP - NSAID/salicylate (4 weeks)
H5SCR3	CRP - Cox-2 inhibitor
H5SCR4	CRP - Inhaled corticosteroid
H5SCR5	CRP - Corticotropin/Glucocorticoid
H5SCR6	CRP - Antirheumatic/Antipsoriatic
H5SCR7	CRP - Immunosuppressive
H5SCR8	Anti-Inflammatory
H5SNARC	Narcotic
H5SADANY	Antidepressant
H5SADCMB	AD - Psychotherapeutic combinations
H5SADMSC	AD - Miscellaneous
H5SADSRI	AD - Selective serotonin reuptake inhibitors
H5SADTRI	AD - Tricyclic
H5SADMOI	AD - Monoamine oxidase inhibitors
H5SADPHE	AD - Phenylpiperazine
H5SADTET	AD - Tetracyclic
H5SADSNR	AD - Selective serotonin norepinephrine reuptake inhibitors
H5SAPS	Antipsychotic
H5SASH	Anxiolytic/Sedative/Hypnotic
H5SACO	Anticonvulsant

Given all of the former complexities, Add Health users possessing no to little prior experience working with medication data are strongly advised to collaborate with a health care professional familiar with the challenges and pitfalls associated with doing so.

Appendix 1

Table. Therapeutic Classification Codes	
Code	Name
001	anti-infectives
002	amebicides
003	anthelmintics
004	antifungals
005	antimalarial agents
006	antituberculosis agents
007	antiviral agents
008	carbapenems
009	cephalosporins
010	leprostatics
011	macrolide derivatives
012	miscellaneous antibiotics
013	penicillins
014	quinolones
015	sulfonamides
016	tetracyclines
017	urinary anti-infectives
018	aminoglycosides
019	antihyperlipidemic agents
020	antineoplastics
021	alkylating agents
022	antineoplastic antibiotics
023	antimetabolites
024	antineoplastic hormones
025	miscellaneous antineoplastics
026	mitotic inhibitors
027	radiopharmaceuticals
028	biologicals
030	antitoxins and antivenins
031	bacterial vaccines
032	colony stimulating factors
033	immune globulins
034	in vivo diagnostic biologicals
036	erythropoiesis-stimulating agents
038	viral vaccines
040	cardiovascular agents
041	agents for hypertensive emergencies
042	angiotensin converting enzyme (ACE) inhibitors
043	antiadrenergic agents, peripherally acting
044	antiadrenergic agents, centrally acting
045	antianginal agents
046	antiarrhythmic agents
047	beta-adrenergic blocking agents

Table. Therapeutic Classification Codes	
Code	Name
048	calcium channel blocking agents
049	diuretics
050	inotropic agents
051	miscellaneous cardiovascular agents
052	peripheral vasodilators
053	vasodilators
054	vasopressors
055	antihypertensive combinations
056	angiotensin II inhibitors
057	central nervous system agents
058	analgesics
059	miscellaneous analgesics
060	narcotic analgesics
061	nonsteroidal anti-inflammatory agents
062	salicylates
063	analgesic combinations
064	anticonvulsants
065	antiemetic/antivertigo agents
066	antiparkinson agents
067	anxiolytics, sedatives, and hypnotics
068	barbiturates
069	benzodiazepines
070	miscellaneous anxiolytics, sedatives and hypnotics
071	CNS stimulants
072	general anesthetics
073	muscle relaxants
074	neuromuscular blocking agents
076	miscellaneous antidepressants
077	miscellaneous antipsychotic agents
079	psychotherapeutic combinations
080	miscellaneous central nervous system agents
081	coagulation modifiers
082	anticoagulants
083	antiplatelet agents
084	heparin antagonists
085	miscellaneous coagulation modifiers
086	thrombolytics
087	gastrointestinal agents
088	antacids
089	anticholinergics/antispasmodics
090	antidiarrheals
091	digestive enzymes
092	gallstone solubilizing agents
093	GI stimulants
094	H2 antagonists

Table. Therapeutic Classification Codes	
Code	Name
095	laxatives
096	miscellaneous GI agents
097	hormones/hormone modifiers
098	adrenal cortical steroids
099	antidiabetic agents
101	sex hormones
102	contraceptives
103	thyroid hormones
104	immunosuppressive agents
105	miscellaneous agents
106	antidotes
107	chelating agents
108	cholinergic muscle stimulants
109	local injectable anesthetics
110	miscellaneous uncategorized agents
111	psoralens
112	radiocontrast agents
113	genitourinary tract agents
115	nutritional products
116	iron products
117	minerals and electrolytes
118	oral nutritional supplements
119	vitamins
120	vitamin and mineral combinations
121	intravenous nutritional products
122	respiratory agents
123	antihistamines
124	antitussives
125	bronchodilators
126	methylxanthines
127	decongestants
128	expectorants
129	miscellaneous respiratory agents
130	respiratory inhalant products
131	antiasthmatic combinations
132	upper respiratory combinations
133	topical agents
134	anorectal preparations
135	antiseptic and germicides
136	dermatological agents
137	topical anti-infectives
138	topical steroids
139	topical anesthetics
140	miscellaneous topical agents
141	topical steroids with anti-infectives

Table. Therapeutic Classification Codes	
Code	Name
143	topical acne agents
144	topical antipsoriatics
146	mouth and throat products
147	ophthalmic preparations
148	otic preparations
149	spermicides
150	sterile irrigating solutions
151	vaginal preparations
153	plasma expanders
154	loop diuretics
155	potassium-sparing diuretics
156	thiazide and thiazide-like diuretics
157	carbonic anhydrase inhibitors
158	miscellaneous diuretics
159	first generation cephalosporins
160	second generation cephalosporins
161	third generation cephalosporins
162	fourth generation cephalosporins
163	ophthalmic anti-infectives
164	ophthalmic glaucoma agents
165	ophthalmic steroids
166	ophthalmic steroids with anti-infectives
167	ophthalmic anti-inflammatory agents
168	ophthalmic lubricants and irrigations
169	miscellaneous ophthalmic agents
170	otic anti-infectives
171	otic steroids with anti-infectives
172	miscellaneous otic agents
173	HMG-CoA reductase inhibitors (statins)
174	miscellaneous antihyperlipidemic agents
175	protease inhibitors
176	NRTIs
177	miscellaneous antivirals
178	skeletal muscle relaxants
179	skeletal muscle relaxant combinations
180	adrenergic bronchodilators
181	bronchodilator combinations
182	androgens and anabolic steroids
183	estrogens
184	gonadotropins
185	progestins
186	sex hormone combinations
191	narcotic analgesic combinations
192	antirheumatics
193	antimigraine agents

Table. Therapeutic Classification Codes	
Code	Name
194	antigout agents
195	5HT3 receptor antagonists
196	phenothiazine antiemetics
197	anticholinergic antiemetics
198	miscellaneous antiemetics
199	hydantoin anticonvulsants
200	succinimide anticonvulsants
201	barbiturate anticonvulsants
202	oxazolidinedione anticonvulsants
203	benzodiazepine anticonvulsants
204	miscellaneous anticonvulsants
205	anticholinergic antiparkinson agents
208	SSRI antidepressants
209	tricyclic antidepressants
210	phenothiazine antipsychotics
211	platelet aggregation inhibitors
212	glycoprotein platelet inhibitors
213	sulfonylureas
214	biguanides
215	insulin
216	alpha-glucosidase inhibitors
217	bisphosphonates
218	alternative medicines
219	nutraceutical products
220	herbal products
222	penicillinase resistant penicillins
223	antipseudomonal penicillins
224	aminopenicillins
225	penicillins/beta-lactamase inhibitors
226	natural penicillins
227	NNRTIs
228	adamantane antivirals
229	purine nucleosides
230	aminosalicylates
231	thiocarbamide derivatives
232	rifamycin derivatives
233	streptomyces derivatives
234	miscellaneous antituberculosis agents
235	polyenes
236	azole antifungals
237	miscellaneous antifungals
238	antimalarial quinolines
239	miscellaneous antimalarials
240	lincomycin derivatives
241	fibrin acid derivatives

Table. Therapeutic Classification Codes	
Code	Name
242	psychotherapeutic agents
243	leukotriene modifiers
244	nasal lubricants and irrigations
245	nasal steroids
246	nasal antihistamines and decongestants
247	nasal preparations
248	topical emollients
249	antidepressants
250	monoamine oxidase inhibitors
251	antipsychotics
252	bile acid sequestrants
253	anorexiant
254	immunologic agents
256	interferons
261	heparins
262	coumarins and indanediones
263	erectile dysfunction agents
264	urinary antispasmodics
265	urinary pH modifiers
266	miscellaneous genitourinary tract agents
267	ophthalmic antihistamines and decongestants
268	vaginal anti-infectives
269	miscellaneous vaginal agents
270	antipsoriatics
271	thiazolidinediones
272	proton pump inhibitors
273	lung surfactants
274	beta blockers, cardioselective
275	beta blockers, non-cardioselective
276	dopaminergic antiparkinsonism agents
277	5-aminosalicylates
278	cox-2 inhibitors
279	gonadotropin-releasing hormone and analogs
280	thioxanthenes
281	neuraminidase inhibitors
282	meglitinides
283	thrombin inhibitors
284	viscosupplementation agents
285	factor Xa inhibitors
286	mydriatics
287	ophthalmic anesthetics
288	5-alpha-reductase inhibitors
289	antihyperuricemic agents
290	topical antibiotics
291	topical antivirals

Table. Therapeutic Classification Codes	
Code	Name
292	topical antifungals
293	glucose elevating agents
295	growth hormones
296	inhaled corticosteroids
297	mucolytics
298	mast cell stabilizers
299	anticholinergic bronchodilators
300	corticotropin
301	glucocorticoids
302	mineralocorticoids
303	agents for pulmonary hypertension
304	macrolides
305	ketolides
306	phenylpiperazine antidepressants
307	tetracyclic antidepressants
308	SSNRI antidepressants
310	echinocandins
311	dibenzazepine anticonvulsants
312	cholinergic agonists
313	cholinesterase inhibitors
314	antidiabetic combinations
315	glycylcyclines
316	cholesterol absorption inhibitors
317	antihyperlipidemic combinations
318	insulin-like growth factor
319	vasopressin antagonists
320	smoking cessation agents
321	ophthalmic diagnostic agents
322	ophthalmic surgical agents
324	antineoplastic interferons
325	sclerosing agents
327	antiviral combinations
328	antimalarial combinations
329	antituberculosis combinations
330	antiviral interferons
332	radiologic adjuncts
333	miscellaneous iodinated contrast media
334	lymphatic staining agents
335	magnetic resonance imaging contrast media
336	non-iodinated contrast media
337	ultrasound contrast media
338	diagnostic radiopharmaceuticals
339	therapeutic radiopharmaceuticals
340	aldosterone receptor antagonists
341	atypical antipsychotics

Table. Therapeutic Classification Codes	
Code	Name
342	renin inhibitors
345	fatty acid derivative anticonvulsants
346	gamma-aminobutyric acid reuptake inhibitors
347	gamma-aminobutyric acid analogs
348	triazine anticonvulsants
349	carbamate anticonvulsants
350	pyrrolidine anticonvulsants
351	carbonic anhydrase inhibitor anticonvulsants
352	urea anticonvulsants
353	anti-angiogenic ophthalmic agents
354	H. pylori eradication agents
355	functional bowel disorder agents
356	serotonergic neuroenteric modulators
357	growth hormone receptor blockers
358	metabolic agents
359	peripherally acting antiobesity agents
360	lysosomal enzymes
361	miscellaneous metabolic agents
362	chloride channel activators
363	probiotics
364	antiviral chemokine receptor antagonist
366	integrase strand transfer inhibitor
368	non-ionic iodinated contrast media
369	ionic iodinated contrast media
370	otic steroids
371	dipeptidyl peptidase 4 inhibitors
372	amylin analogs
373	GLP-1 receptor agonists
374	cardiac stressing agents
375	peripheral opioid receptor antagonists
376	radiologic conjugating agents
377	prolactin inhibitors
378	drugs used in alcohol dependence
379	fifth generation cephalosporins
380	topical debriding agents
381	topical depigmenting agents
382	topical antihistamines
383	antineoplastic detoxifying agents
384	platelet-stimulating agents
385	group I antiarrhythmics
386	group II antiarrhythmics
387	group III antiarrhythmics
388	group IV antiarrhythmics
389	group V antiarrhythmics
390	hematopoietic stem cell mobilizer

Table. Therapeutic Classification Codes	
Code	Name
392	otic anesthetics
393	cerumenolytics
394	topical astringents
395	topical keratolytics
397	multikinase inhibitors
398	BCR-ABL tyrosine kinase inhibitors
399	CD52 monoclonal antibodies
400	CD33 monoclonal antibodies
401	CD20 monoclonal antibodies
402	VEGF/VEGFR inhibitors
403	mTOR inhibitors
404	EGFR inhibitors
405	HER2 inhibitors
406	glycopeptide antibiotics
407	inhaled anti-infectives
408	histone deacetylase inhibitors
409	bone resorption inhibitors
410	adrenal corticosteroid inhibitors
411	calcitonin
412	uterotonic agents
413	antigonadotropic agents
414	antidiuretic hormones
415	miscellaneous bone resorption inhibitors
416	somatostatin and somatostatin analogs
417	selective estrogen receptor modulators
418	parathyroid hormone and analogs
419	gonadotropin-releasing hormone antagonists
420	antiandrogens
422	antithyroid agents
423	aromatase inhibitors
424	estrogen receptor antagonists
426	synthetic ovulation stimulants
427	tocolytic agents
428	progesterone receptor modulators
430	anticholinergic chronotropic agents
431	anti-CTLA-4 monoclonal antibodies
432	vaccine combinations
433	catecholamines
435	selective phosphodiesterase-4 inhibitors
437	immunostimulants
438	interleukins
439	other immunostimulants
440	therapeutic vaccines
441	calcineurin inhibitors
442	TNF alpha inhibitors

Table. Therapeutic Classification Codes	
Code	Name
443	interleukin inhibitors
444	selective immunosuppressants
445	other immunosuppressants
446	neuronal potassium channel openers
447	CD30 monoclonal antibodies
448	topical non-steroidal anti-inflammatories
449	hedgehog pathway inhibitors
450	topical antineoplastics
451	topical photochemotherapeutics
452	CFTR modulators
453	topical rubefacient
454	proteasome inhibitors
455	guanylate cyclase-C agonists
456	AMPA receptor antagonists
457	hydrazide derivatives
458	SGLT-2 inhibitors
459	urea cycle disorder agents
460	phosphate binders
461	topical anti-rosacea agents
462	allergenic
463	protease-activated receptor-1 antagonists
464	miscellaneous diagnostic dyes
465	diarylquinolines
467	ACE inhibitors with thiazides
468	antiadrenergic agents (central) with thiazides
469	antiadrenergic agents (peripheral) with thiazides
470	miscellaneous antihypertensive combinations
472	beta blockers with thiazides
473	angiotensin II inhibitors with thiazides
475	potassium sparing diuretics with thiazides
476	ACE inhibitors with calcium channel blocking agents
479	angiotensin II inhibitors with calcium channel blockers
480	antiviral boosters
481	NK1 receptor antagonists
482	angiotensin receptor blockers and neprilysin inhibitors
484	PCSK9 inhibitors
485	NS5A inhibitors
486	oxazolidinone antibiotics
487	CFTR combinations
488	anticoagulant reversal agents
489	CD38 monoclonal antibodies
490	peripheral opioid receptor mixed agonists/antagonists
491	local injectable anesthetics with corticosteroids
492	cephalosporins/beta-lactamase inhibitors
493	anti-PD-1 monoclonal antibodies

Table. Therapeutic Classification Codes	
Code	Name
494	PARP inhibitors
495	calcimimetics
496	VMAT2 inhibitors
497	cation exchange resins
498	antineoplastic combinations
499	carbapenems/beta-lactamase inhibitors
500	PI3K inhibitors
501	CDK 4/6 inhibitors
502	CGRP inhibitors
503	streptogramins
504	antimanic agents

Copyright 2019 (v221-v268, January 2016-December 2019). Cerner Multum, Inc. All rights reserved.

Every effort has been made to ensure that the information provided by Cerner Multum, Inc. (“Multum”) is accurate, up-to-date, and complete, but no guarantee is made to that effect. In addition, the drug information contained herein may be time sensitive. Multum information has been compiled for use by healthcare practitioners and end-users in the United States. Cerner Multum does not warrant that uses outside of the United States are appropriate. Multum’s drug information does not endorse drugs, diagnose patients or recommend therapy. Multum’s drug information is an informational resource designed to assist licensed healthcare practitioners in caring for their patients and/or to serve end-users viewing this service as a supplement to, and not a substitute for, the expertise, skill, knowledge and judgment of healthcare practitioners. Healthcare practitioners should use their professional judgment in using the information provided. The absence of a warning for a given drug or drug combination in no way should be construed to indicate that the drug or drug combination is safe, effective or appropriate for any given patient. Multum does not assume any responsibility for any aspect of healthcare administered with the aid of information Multum provides.

Copyright 2019 Cerner Multum, Inc. The information contained herein is not intended to cover all possible uses, directions, precautions, warnings, drug interactions, allergic reactions, or adverse effects. If you have questions about the drugs you are taking, check with your doctor, nurse, or pharmacist.”